



## SLS EP #2 Grease

### Safety Data Sheet

Safe Work Australia

Date of issue: 02/01/2019

Version: 1.0

#### SECTION 1: Identification

##### 1.1. Identification

Product form : Mixture  
Product name : SLS EP #2 Grease

##### 1.2. Recommended use and restrictions on use

Use of the substance/mixture Restrictions on use : Lubricants, greases, release products

##### 1.3. Supplier : No additional information available

Stewart Lubricants & Service Co. Australia Pty Ltd  
209 Ekibin Road East  
Tarragindi QLD 4121  
ABN 85 613 943 703

##### 1.4. Emergency telephone number

Emergency number : CHEMTREC (24hrs): 1-800-424-9300

#### SECTION 2: Hazard(s) identification

##### 2.1. Classification of the substance or mixture

###### GHS classification

Skin Sens. 1 H317 May cause an allergic skin reaction.

Full text of hazard classes and H-statements : see section 16

##### 2.2. GHS Label elements, including precautionary statements

###### GHS labelling

Hazard pictograms (GHS) :



Signal word (GHS) : Warning

Hazard statements (GHS) : H317 - May cause an allergic skin reaction.

Precautionary statements (GHS) :  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P272 - Contaminated work clothing must not be allowed out of the workplace  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352 - If on skin: Wash with plenty of water/...  
P321 - Specific treatment (see supplemental first aid instruction on this label)  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P363 - Wash contaminated clothing before reuse.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

##### 2.3. Other hazards which do not result in classification

No additional information available

##### 2.4. Unknown acute toxicity (GHS)

Not applicable

#### SECTION 3: Composition/information on ingredients

##### 3.1. Substances

Not applicable

##### 3.2. Mixtures

Name	Product identifier	%	GHS classification
Graphite	(CAS-No.) 7782-42-5	1 - 5	Eye Irrit. 2B, H320
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione	(CAS-No.) 72676-55-2	0.1 - 3	Skin Sens. 1B, H317

# SLS EP #2 Grease

## Safety Data Sheet

Safe Work Australia

Name	Product identifier	%	GHS classification
Pentene, 2,4,4-trimethyl-, sulfurized	(CAS-No.) 68515-88-8	0 - 2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
5,5'-thiobis(2-mercapto-1,3,4-thiadiazole)	(CAS-No.) 7340-97-8	0.1 - 0.5	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
2,5-bis(octyldithio)-1,3,4-thiadiazole	(CAS-No.) 13539-13-4	0.1 - 0.5	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin thoroughly with mild soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after inhalation : Inhalation of vapours may cause respiratory irritation.
- Symptoms/effects after skin contact : May cause an allergic skin reaction.
- Symptoms/effects after eye contact : May cause slight irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

- Fire hazard : Burning produces irritating, toxic and noxious fumes.

#### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flammable resistant/retardant clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid contact with skin, eyes and clothing. Do not breathe vapour. Use personal protective equipment as required.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Refer to section 8.2.
- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Refer to section 8.2.
- Emergency procedures : Ventilate area.

# SLS EP #2 Grease

## Safety Data Sheet

Safe Work Australia

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin, eyes and clothing. Do not breathe vapours. Wear personal protective equipment.
- Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in the original container. Keep container closed when not in use.
- Incompatible products : Strong bases. Strong acids. Strong oxidizers.
- Incompatible materials : Sources of ignition. Direct sunlight.
- Storage area : Store in a dry, cool area.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Graphite (7782-42-5)		
Australia	TWA (mg/m <sup>3</sup> )	3
Australia	Notes	(e)
5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione (72676-55-2)		
Not applicable		
5,5'-thiobis(2-mercapto-1,3,4-thiadiazole) (7340-97-8)		
Not applicable		
Pentene, 2,4,4-trimethyl-, sulfurized (68515-88-8)		
Not applicable		
2,5-bis(octyldithio)-1,3,4-thiadiazole (13539-13-4)		
Not applicable		

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Avoid splashing. Avoid creating mist or spray. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide local exhaust or general room ventilation.
- Environmental exposure controls : Prevent leakage or spillage. Prevent contaminated water run-off.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Use rubber gloves.

#### Eye protection:

Chemical goggles or safety glasses

# SLS EP #2 Grease

## Safety Data Sheet

Safe Work Australia

### Respiratory protection:

None under normal use

### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste. Opaque.
Colour	: Grey Black
Odour	: mild petroleum
Odour threshold	: No data available
pH	: 7 - 7.2 (1% solution in water)
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 371 °C
Flash point	: > 177 °C
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: < 1 mm Hg @ 20 °C
Relative vapour density at 20 °C	: No data available
Relative density	: 1.005 @ 20 °C
Solubility	: Water: < 5 %
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: > 1000 mm <sup>2</sup> /s @ 40 °C
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

# SLS EP #2 Grease

## Safety Data Sheet

Safe Work Australia

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

<b>Graphite (7782-42-5)</b>	
LD50 oral rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 2000 mg/m <sup>3</sup> 4 h, no mortality observed

<b>5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione (72676-55-2)</b>	
LD50 oral rat	6480 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE US (oral)	6480 mg/kg bodyweight

<b>5,5'-thiobis(2-mercapto-1,3,4-thiadiazole) (7340-97-8)</b>	
LD50 oral rat	> 2500 mg/kg
LD50 dermal rat	> 2000 mg/kg

<b>Pentene, 2,4,4-trimethyl-, sulfurized (68515-88-8)</b>	
LD50 oral rat	3641 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE US (oral)	3641 mg/kg bodyweight

<b>2,5-bis(octyldithio)-1,3,4-thiadiazole (13539-13-4)</b>	
ATE US (dust,mist)	1.5 mg/l/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

STOT-repeated exposure	: Not classified
------------------------	------------------

Aspiration hazard	: Not classified
Viscosity, kinematic	: > 1000 mm <sup>2</sup> /s @ 40 °C

Likely routes of exposure	: Inhalation. Skin and eye contact.
Symptoms/effects after inhalation	: Inhalation of vapours may cause respiratory irritation.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: May cause slight irritation.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>Graphite (7782-42-5)</b>	
LC50 fish 1	> 100 mg/l 96 h, no mortality observed
EC50 Daphnia 1	> 100 mg/l 48 h, no mortality observed

<b>5,5'-thiobis(2-mercapto-1,3,4-thiadiazole) (7340-97-8)</b>	
LC50 fish 1	> 100 mg/l 96 h
EC50 Daphnia 1	18 mg/l 48 h
NOEC (acute)	0.56 mg/l Daphnia 48 h

<b>Pentene, 2,4,4-trimethyl-, sulfurized (68515-88-8)</b>	
EC50 Daphnia 1	0.035 mg/l 48 h

# SLS EP #2 Grease

## Safety Data Sheet

Safe Work Australia

### 12.2. Persistence and degradability

SLS EP #2 Grease	
Persistence and degradability	Not established.
5,5'-thiobis(2-mercapto-1,3,4-thiadiazole) (7340-97-8)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	41 % 28 d
Pentene, 2,4,4-trimethyl-, sulfurized (68515-88-8)	
Persistence and degradability	inherently biodegradable.

### 12.3. Bioaccumulative potential

SLS EP #2 Grease	
Bioaccumulative potential	Not established.
Pentene, 2,4,4-trimethyl-, sulfurized (68515-88-8)	
Log Pow	12.56

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.  
Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

### ADG

Not regulated.

### Transport by sea

Not regulated.

### Air transport

Not regulated.

## SECTION 15: Regulatory information

### National regulations

Graphite (7782-42-5)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on Taiwan National Chemical Inventory Listed on the Inventory of Existing Chemical Substances Produced or Imported in China (IECSC). Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List)

# SLS EP #2 Grease

## Safety Data Sheet

Safe Work Australia

### 5,5'-dithiodi-1,3,4-thiadiazole-2(3H)-thione (72676-55-2)

Listed on KECI (Korean Existing Chemicals Inventory)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on Taiwan National Chemical Inventory  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

### 5,5'-thiobis(2-mercapto-1,3,4-thiadiazole) (7340-97-8)

Exempt from the United States Toxic Substances Control Act (TSCA) inventory.  
Listed on the AICS (Australian Inventory of Chemical Substances)

### 2,5-bis(octyldithio)-1,3,4-thiadiazole (13539-13-4)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on KECI (Korean Existing Chemicals Inventory)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on Taiwan National Chemical Inventory  
Listed on the AICS (Australian Inventory of Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

## SECTION 16: Other information

Data sources : ACGIH (American Conference of Government Industrial Hygienists). Canadian Centre for Occupational Health and Safety. Accessed at: [http://www.ccohs.ca/oshanswers/legisl/whmis\\_classifi.html](http://www.ccohs.ca/oshanswers/legisl/whmis_classifi.html). European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association; Fire Protection Guide to Hazardous Materials; 10th edition. TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>. WHMIS: The Workplace Hazardous Materials Information System: Canada's national hazard communication standard.

Other information : None.

Full text of H-statements:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation, Category 2B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H320	Causes eye irritation
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

# SLS EP #2 Grease

## Safety Data Sheet

Safe Work Australia

	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	TSCA: Toxic Substances Control Act
	STEL: Short Term Exposure Limits
	TWA: Time Weighted Average

**SDS prepared by:**

The Redstone Group, LLC  
6077 Frantz Rd  
Suite 206  
Dublin, Ohio USA 43016  
[www.redstonegrp.com](http://www.redstonegrp.com)  
614.923.7472

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*